



PRICE LIST

Air supply



Price list of EKOM products for 2023

Purchasing price list is valid from 1.1.2023 till 31.12.2023. Prices are listed in EUR on EXW Piestany (Incoterms® 2010) delivery terms

Catalogue number	Name of the product	Voltage	Working pressure	Description	Price in EUR
Air supply systems					
DK50 4x2VT/M - with adsorption dryer					
405001196-407	DK50 4x2VT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x two cylinder compressor pumps, in frame, with two chamber adsorption dryer, PDP -20C, without humidity sensor, 2x110l air tank, control unit, output capacity 470l/min/6bar, (packed in wooden case)	16 089,-
405001196-408	DK50 4x2VT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x two cylinder compressor pumps, in frame, with two chamber adsorption dryer, PDP -20C, without humidity sensor, 2x110l air tank, control unit, output capacity 380l/min/8bar, (packed in wooden case)	17 041,-
DK50 6x2VT/M - with adsorption dryer					
405101196-406	DK50 6x2VT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x two cylinder compressor pumps, in frame, with adsorption dryer AD750E-20/8b (pressure dew point -20 °C), 3x110l air tank, control unit, output capacity 660l/min/6bar, (packed in wooden case)	21 563,-
405101196-408	DK50 6x2VT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x two cylinder compressor pumps, in frame, with adsorption dryer AD750E-20/10b (pressure dew point -20 °C), 3x110l air tank, control unit, output capacity 480l/min/8bar, (packed in wooden case)	22 840,-
DK50 3x4VR/M					
with refrigeration dryer					
4077211C6-000	DK50 3x4VR/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 3 x four cylinder compressor pumps on 290l air tank, with refrigeration dryer, output capacity 800 l/min/6bar, (packed in wooden case)	17 698,-
with adsorption dryer AD					
407721196-000	DK50 3x4VR/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 3 x four cylinder compressor pumps, with adsorption dryer AD 750E -20/8b (pressure dew point -20 °C), 290l air tank, horizontal design, output capacity 680 l/min/6bar (packed in wooden case)	19 168,-
DK50 4x4VRT/M					
with refrigeration dryer					
4057311C6-000	DK50 4x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l vertical air tank, control unit, output capacity 1040 l/min/6bar, (packed in wooden case)	27 967,-
4057311C6-001	DK50 4x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l vertical air tank, control unit, output capacity 1040 l/min/6bar, packed in wooden case	25 259,-
4057311C6-002	DK50 4x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l vertical air tank, control unit, output capacity 800 l/min/8bar, (packed in wooden case)	32 620,-
4057311C6-003	DK50 4x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l vertical air tank, control unit, output capacity 800 l/min/8bar, (packed in wooden case)	29 240,-
4057321C6-000	DK50 4x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l vertical air tank, control unit, output capacity 1040 l/min/6bar, in soundproofing casing, (packed in wooden case)	33 964,-
4057321C6-001	DK50 4x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l vertical air tank, control unit, output capacity 1040 l/min/6bar, in soundproofing casing, (packed in wooden case)	32 538,-
4057321C6-002	DK50 4x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l vertical air tank, control unit, output capacity 800 l/min/8bar, in soundproofing casing, (packed in wooden case)	36 132,-



PRICE LIST

Air supply



Price list of EKOM products for 2023

Purchasing price list is valid from 1.1.2023 till 31.12.2023. Prices are listed in EUR on EXW Piestany (Incoterms® 2010) delivery terms

Catalogue number	Name of the product	Voltage	Working pressure	Description	Price in EUR
Air supply systems					
4057321C6-003	DK50 4x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l vertical air tank, control unit, output capacity 800 l/min/8bar, in soundproofing casing, (packed in wooden case)	33 907,-
with adsorption dryer AD					
405731196-004	DK50 4x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with adsorption dryer AD 1000E -20/8b (pressure dew point -20 °C), control unit, central air intake filter, 500l vertical air tank, output capacity 900 l.min/6 bar, (packed in wooden case)	30 888,-
405731196-005	DK50 4x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with adsorption dryer AD 1000E -20/8b (pressure dew point -20 °C), control unit, 500l vertical air tank, output capacity 900 l.min/6 bar, (packed in wooden case)	29 531,-
405731196-006	DK50 4x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with adsorption dryer AD 1000E -20/10b (pressure dew point -20 °C), control unit, central air intake filter, 500l vertical air tank, output capacity 690 l.min/8 bar, (packed in wooden case)	33 463,-
405731196-007	DK50 4x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with adsorption dryer AD 1000E -20/10b (pressure dew point -20 °C), control unit, 500l vertical air tank, output capacity 690 l.min/8 bar, (packed in wooden case)	31 994,-
405732196-004	DK50 4x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with adsorption dryer AD 1000E -20/8b (pressure dew point -20 °C), control unit, central air intake filter, in soundproofing casing, 500l vertical air tank, output capacity 900 l.min/6 bar, (packed in wooden case)	33 794,-
405732196-005	DK50 4x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with adsorption dryer AD 1000E -20/8b (pressure dew point -20 °C), control unit, in soundproofing casing, 500l vertical air tank, output capacity 900 l.min/6 bar, (packed in wooden case)	32 294,-
405732196-006	DK50 4x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with adsorption dryer AD 1000E -20/10b (pressure dew point -20 °C), control unit, central air intake filter, in soundproofing casing, 500l vertical air tank, output capacity 690 l.min/8 bar, (packed in wooden case)	34 873,-
405732196-007	DK50 4x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 4 x four cylinder compressor pumps, in frame, with adsorption dryer AD 1000E -20/10b (pressure dew point -20 °C), control unit, in soundproofing casing, 500l vertical air tank, output capacity 690 l.min/8 bar, (packed in wooden case)	33 272,-
DK50 6x4VRT/M					
with refrigeration dryer					
4057511C6-000	DK50 6x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1560 l/min/6bar, (packed in wooden case)	36 745,-
4057511C6-001	DK50 6x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1560 l/min/6bar, (packed in wooden case)	35 411,-



PRICE LIST
Air supply



Price list of EKOM products for 2023

Purchasing price list is valid from 1.1.2023 till 31.12.2023. Prices are listed in EUR on EXW Piestany (Incoterms® 2010) delivery terms

Catalogue number	Name of the product	Voltage	Working pressure	Description	Price in EUR
Air supply systems					
4057511C6-002	DK50 6x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1315 l/min/8bar,(packed in wooden case)	40 283,-
4057511C6-003	DK50 6x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1315l/min/8bar,(packed in wooden case)	37 446,-
4057521C6-000	DK50 6x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1560 l/min/6bar, in soundproofing casing, (packed in wooden case)	42 977,-
4057521C6-001	DK50 6x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1560 l/min/6bar, in soundproofing casing, (packed in wooden case)	41 694,-
4057521C6-002	DK50 6x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1315l/min/8bar, in soundproofing casing, (packed in wooden case)	44 014,-
4057521C6-003	DK50 6x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1315l/min/8bar, in soundproofing casing, (packed in wooden case)	42 800,-
with adsorbtion dryer AD					
405751196-005	DK50 6x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 1500E -20/8b (pressure dew point -20 °C), control unit, central air intake filter, 500l vertical air tank, output capacity 1350 l/min/6 bar, (packed in wooden case)	39 137,-
405751196-004	DK50 6x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 1500E -20/8b (pressure dew point -20 °C), control unit, 500l vertical air tank, output capacity 1350 l/min/6 bar, (packed in wooden case)	37 285,-
405751196-006	DK50 6x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 1500E -20/10b (pressure dew point -20 °C), control unit, central air intake filter, 500l vertical air tank, output capacity 1040 l/min/8 bar, (packed in wooden case)	42 268,-
405751196-007	DK50 6x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 1500E -20/10b (pressure dew point -20 °C), control unit, 500l vertical air tank, output capacity 1040 l/min/8 bar, (packed in wooden case)	40 265,-
405752196-004	DK50 6x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 1500E -20/8b (pressure dew point -20 °C), control unit, central air intake filter, in soundproofing casing, 500l vertical air tank, output capacity 1350 l/min/6 bar, (packed in wooden case)	41 791,-
405752196-005	DK50 6x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 1500E -20/8b (pressure dew point -20 °C), control unit, in soundproofing casing, 500l vertical air tank, output capacity 1350 l/min/6 bar, (packed in wooden case)	39 887,-



PRICE LIST

Air supply



Price list of EKOM products for 2023

Purchasing price list is valid from 1.1.2023 till 31.12.2023. Prices are listed in EUR on EXW Piestany (Incoterms® 2010) delivery terms

Catalogue number	Name of the product	Voltage	Working pressure	Description	Price in EUR
Air supply systems					
405752196-006	DK50 6x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 1500E -20/10b (pressure dew point -20 °C), control unit, central air intake filter, in soundproofing casing, 500l vertical air tank, output capacity 1040 l/min/8 bar, (packed in wooden case)	45 329,-
405752196-007	DK50 6x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 6 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 1500E -20/10b (pressure dew point -20 °C), control unit, in soundproofing casing, 500l vertical air tank, output capacity 1040 l/min/8 bar, (packed in wooden case)	43 218,-
DK50 9x4VRT/M					
with refrigeration dryer					
4057711C6-000	DK50 9x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 2380 l/min/6bar, (packed in wooden case)	48 445,-
4057711C6-001	DK50 9x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 2380 l/min/6bar, (packed in wooden case)	45 886,-
4057711C6-002	DK50 9x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1780 l/min/8bar,(packed in wooden case)	52 681,-
4057711C6-003	DK50 9x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1780l/min/8bar,(packed in wooden case)	48 319,-
4057721C6-000	DK50 9x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 2380 l/min/6bar, in soundproofing casing, (packed in wooden case)	53 685,-
4057721C6-001	DK50 9x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 2380 l/min/6bar, in soundproofing casing, (packed in wooden case)	51 016,-
4057721C6-002	DK50 9x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps with central air intake filter, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1780l/min/8bar, in soundproofing casing, (packed in wooden case)	55 975,-
4057721C6-003	DK50 9x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with refrigeration dryer, 500l air tank, control unit, output capacity 1780l/min/8bar, in soundproofing casing, (packed in wooden case)	55 323,-
with adsorbtion dryer AD					
405771196-001	DK50 9x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 2250E -20/8b (pressure dew point -20 °C), control unit, central air intake filter, 500l vertical air tank, output capacity 2030 l/min/6 bar, (packed in wooden case)	51 297,-
405771196-000	DK50 9x4VRT/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 2250E -20/8b (pressure dew point -20 °C), control unit, 500l vertical air tank, output capacity 2030 l/min/6 bar, (packed in wooden case)	48 117,-



PRICE LIST

Air supply



Price list of EKOM products for 2023

Purchasing price list is valid from 1.1.2023 till 31.12.2023. Prices are listed in EUR on EXW Piestany (Incoterms® 2010) delivery terms

Catalogue number	Name of the product	Voltage	Working pressure	Description	Price in EUR
Air supply systems					
405771196-005	DK50 9x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 2250E -20/10b (pressure dew point -20 °C), control unit, central air intake filter, 500l vertical air tank, output capacity 1560 l/min/8 bar, (packed in wooden case)	55 115,-
405771196-004	DK50 9x4VRT/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 2250E -20/10b (pressure dew point -20 °C), control unit, 500l vertical air tank, output capacity 1560 l/min/8 bar, (packed in wooden case)	51 927,-
405772196-001	DK50 9x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 2250E -20/8b (pressure dew point -20 °C), control unit, central air intake filter, in soundproofing casing, 500l vertical air tank, output capacity 2030 l/min/6 bar, (packed in wooden case)	55 603,-
405772196-000	DK50 9x4VRTS/M	400V/50Hz	6 - 8 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 2250E -20/8b (pressure dew point -20 °C), control unit, in soundproofing casing, 500l vertical air tank, output capacity 2030 l/min/6 bar, (packed in wooden case)	52 598,-
405772196-005	DK50 9x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 2250E -20/10b (pressure dew point -20 °C), control unit, central air intake filter, in soundproofing casing, 500l vertical air tank, output capacity 1560 l/min/8 bar, (packed in wooden case)	60 228,-
405772196-004	DK50 9x4VRTS/M	400V/50Hz	8 - 10 bar	Oil free compressor equipped with 9 x four cylinder compressor pumps, in frame, with adsorbtion dryer AD 2250E -20/10b (pressure dew point -20 °C), control unit, in soundproofing casing, 500l vertical air tank, output capacity 1560 l/min/8 bar, (packed in wooden case)	59 690,-

Compressor solutions equipped with adsorbtion dryer are also available with higher pressure dew point -40°C PDP.